

[54] WRITING INSTRUMENT

[76] Inventor: Hu Cho-Kai, No. 13, Lane 9, Lishui St., Taipei, Taiwan

[**] Term: 14 Years

[21] Appl. No.: 272,655

[22] Filed: Nov. 17, 1988

[52] U.S. Cl. D19/48; D19/43; D19/51; D19/56; D19/57

[58] Field of Search D19/35, 36, 41-51, D19/54-58, 81-85; 401/99, 100, 102, 196, 202, 209, 29, 33

[56] References Cited

U.S. PATENT DOCUMENTS

D. 232,197	7/1974	Nakata	D19/56
D. 268,501	4/1983	Krueckel et al.	D19/43
D. 272,750	2/1984	Luntz	D19/57 X
D. 282,378	1/1986	Ohyabu et al.	D19/56
D. 295,537	5/1988	Davidson et al.	D19/43
D. 299,470	1/1989	Möck	D19/48 X
D. 306,873	3/1990	Yazaki	D19/36
D. 307,601	5/1990	Poisson et al.	D19/43

D. 309,913	8/1990	Shintani	D19/48 X
D. 313,245	12/1990	Iwase	D19/41 X

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Armstrong, Nikaido, Marmelstein, Kubovcik, & Murray

[57] CLAIM

The ornamental design for a writing instrument, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a writing instrument showing my new design, with the lower section of the barrel in a retracted position and the cap member in place;
FIG. 2 is a front elevational view;
FIG. 3 is a rear elevational view;
FIG. 4 is a right side elevational view;
FIG. 5 is a left side elevational view;
FIG. 6 is a top plan view;
FIG. 7 is a bottom plan view; and
FIG. 8 is a front perspective view in an exploded condition with the lower section of the writing instrument barrel in an extended condition.






Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8