

[54] HAIR DRYER

[75] Inventors: Takasi Hirose, Kodaira; Masahide Aoki, Iruma; Toshiyuki Moriya, Tokorozawa, all of Japan

[73] Assignee: Kyushu Hitachi Maxell, Ltd., Fukuoka, Japan

[**] Term: 14 Years

[21] Appl. No.: 378,309

[22] Filed: Jul. 11, 1989

[30] Foreign Application Priority Data

Jan. 19, 1989 [JP] Japan 1-1609
 [52] U.S. Cl. D28/12
 [58] Field of Search D28/12-18;
 132/212; 219/222, 369-373; 34/96-101

[56] References Cited

U.S. PATENT DOCUMENTS

D. 227,715 7/1973 Yamaoka D28/13
 D. 272,101 1/1984 Abe et al. D28/12
 D. 289,566 4/1987 Yonezawa et al. D28/13
 D. 294,740 3/1988 Yonezawa et al. D28/12

Primary Examiner—Bernard Ansher

Assistant Examiner—C. Tuttle

Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] CLAIM

The ornamental design for hair dryer, as shown.

DESCRIPTION

FIG. 1 is a top, front perspective view of a hair dryer showing our new design. The undisclosed sides of the nozzle portion are unornamented and follow the general configuration of the sides shown;
 FIG. 2 is a front elevational view shown with the nozzle portion removed for clarity of illustration;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a top front perspective view in closed position;
 FIG. 9 is a cross-sectional view taken on the line 9—9 of FIG. 2; and
 FIG. 10 is a right side elevational view shown in a closed position.




Fig. 1





Fig. 8






Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 9




Fig. 10

