

[54] ROTATING EQUIPMENT ALIGNMENT ANALYSIS INSTRUMENT

[76] Inventor: Richard W. Frederick, 2007 Pebble Beach, Richardson, Tex. 75082

[\*\*] Term: 14 Years

[21] Appl. No.: 393,755

[22] Filed: Aug. 14, 1989

[52] U.S. Cl. .... D10/46; D10/75; D10/78

[58] Field of Search ..... D10/46, 45, 78, 81; D3/30.1, 36, 38, 39, 40, 72, 73, 76, 78; D19/83; 33/645; 43/54.1, 55, 57.1; 206/305, 371

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 106,124 9/1937 Pratt ..... D3/72
- D. 260,617 9/1981 Lawson, II et al. .... D10/46 X
- D. 288,814 3/1987 Takahashi et al. .... D10/46 X

- D. 309,829 8/1990 Charet et al. .... D3/39 X
- 1,993,144 3/1935 Kasdan ..... 43/57.1
- 3,086,297 4/1963 Kantrowitz ..... D3/78
- 3,648,400 3/1972 Wolfe ..... 43/54.1
- 4,837,590 6/1989 Sprague ..... 206/305 X

Primary Examiner—Nelson C. Holtje  
Assistant Examiner—Antoine D. Davis  
Attorney, Agent, or Firm—Ross, Howison, Clapp & Korn

[57] CLAIM

The ornamental design for rotating equipment alignment analysis instrument, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a rotating equipment alignment analysis instrument showing my new design; FIG. 2 is a right side elevational view; FIG. 3 is a bottom plan view; FIG. 4 is a left side elevational view; FIG. 5 is a rear elevational view; and FIG. 6 is a front elevational view thereof.




FIG. 2




FIG. 1




FIG. 4




FIG. 3






FIG. 5




FIG. 6