

[54] CAMERA

[75] Inventor: Kazuhisa Horikiri, Tokyo, Japan
[73] Assignee: Fuji Photo Film Co., Ltd., Kanagawa, Japan
[**] Term: 14 Years
[21] Appl. No.: 296,735
[22] Filed: Jan. 11, 1989

[30] Foreign Application Priority Data

Jul. 11, 1988 [JP] Japan 63-27631
[52] U.S. Cl. D16/209
[58] Field of Search D16/200-213,
D16/216-218; 354/126, 149.11, 202, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 295,418	4/1988	Gotham	D16/209
D. 295,527	5/1988	Soda et al.	D16/209
D. 296,333	6/1988	Inoue	D16/209
D. 306,307	2/1990	Suyama et al.	D16/209
D. 306,308	2/1990	Minakawa	D16/209
4,556,304	12/1985	Fukuda	354/288

OTHER PUBLICATIONS

Popular Photography, Apr. 1988, p. 8 (Canon Sure Shot Multi Tele Camera).

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Young & Thompson

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a camera with the lens barrier in an assembled position, showing my new design;
FIG. 2 is a top rear perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a right end elevational view thereof;
FIG. 8 is a left end elevational view thereof; and
FIG. 9 is a top front perspective view of the camera with the lens barrier removed.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7




FIG. 9

