

[54] ELECTRONIC FLASH

[75] Inventors: Noboru Tanaka, Kawasaki; Masaaki Yoshida, Tokyo, both of Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 296,038

[22] Filed: Jan. 12, 1989

[30] Foreign Application Priority Data

Jul. 12, 1988 [JP] Japan 63-27953

[52] U.S. Cl. D16/239

[58] Field of Search D16/200, 209, 237, 239, D16/240; D10/114; D14/225; D26/37, 39; 354/126, 145.1

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 260,399 8/1981 Quinn D16/240
- D. 276,658 12/1984 Yuen D26/37
- D. 300,924 5/1989 Mauch D14/225

- D. 303,266 9/1989 Kato D16/239
- 4,382,666 5/1983 Ohtaki 354/145.1

OTHER PUBLICATIONS

Photography, Jan. 1978, p. 11 (Vivitar Electronic Flash, 125).

Modern Photography, 6/85, p. 31 (Canon T80 Flash).

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for an electronic flash, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electronic flash showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

