

[54] RETAINER FOR RUBBERY ARTICLES OR THE LIKE

[75] Inventors: Hiroyuki Hamanaka, Hiroshima; Noboru Obayashi, Yokohama, both of Japan

[73] Assignees: Nishikawa Rubber Company, Hiroshima; Nifco Inc., Yokohama, both of Japan

[**] Term: 14 Years

[21] Appl. No.: 176,997

[22] Filed: Apr. 4, 1988

[30] Foreign Application Priority Data

Dec. 16, 1987 [JP] Japan 62-51056

[52] U.S. Cl. D8/382; D8/386

[58] Field of Search D8/382, 385, 386; 24/289, 292, 297; 411/500, 501, 356, 357, 504

[56] References Cited

U.S. PATENT DOCUMENTS

D. 190,391	5/1961	Cordova	D8/382
3,889,320	6/1975	Koscik	411/501
4,489,465	12/1984	Lemkin	24/289
4,821,381	4/1989	Kaneko et al.	24/297

FOREIGN PATENT DOCUMENTS

48-19688	6/1973	Japan	.
51-1898	1/1976	Japan	.
61-12251	4/1986	Japan	.

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] CLAIM

The ornamental design for a retainer for rubbery articles or the like, as shown and described.

DESCRIPTION

FIG. 1 is a top and left front perspective view of a retainer for rubbery articles or the like, showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a cross-sectional view taken in the direction of the arrows on line VI—VI of FIG. 2;

FIG. 7 is a cross-sectional view taken in the direction of the arrows on line VII—VII of FIG. 3; and

FIG. 8 is a cross-sectional view thereof in the state of use.

The broken line showing of a rubbery article and a mounting panel in FIG. 8 is for illustrative purposes only and forms no part of the claimed design.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 6




FIG. 7

