

[54] COPYING MACHINE

[75] Inventor: Tomohiko Hirata, Kawasaki, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 338,755

[22] Filed: Apr. 17, 1989

[30] Foreign Application Priority Data

Oct. 21, 1988 [JP] Japan 63-41582

[52] U.S. Cl. D18/36

[58] Field of Search D18/13, 36-39; D14/111, 112, 116, 118; 355/43-45, 49-51, 66, 112, 200, 210, 231, 233-236, 245; 358/400

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 263,600 3/1982 Furukawa D18/37
- D. 270,164 8/1983 Sawada D18/37
- D. 276,051 10/1984 Kosako et al. D18/36

- D. 285,800 9/1986 Kadota D18/37
- D. 286,786 11/1986 Serbinski et al. D18/37
- D. 297,435 8/1988 Hara D18/36
- 4,652,111 3/1987 Tanimoto 364/525
- 4,692,021 9/1987 Watanabe D18/37 X
- 4,745,436 5/1988 Matsuura 355/206

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Caron D. Venar
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a copying machine, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a copying machine showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

