

[54] PLOTTER

[75] Inventors: Masayuki Tamasaku, Koganei; Tousaku Hattori, Tokyo; Tamio Ishihara, Katsuta; Masami Sakamoto, Katsuta; Yutaka Kaneko, Katsuta, all of Japan

[73] Assignee: Hitachi, Ltd., Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 237,552

[22] Filed: Aug. 29, 1988

[30] Foreign Application Priority Data

Mar. 2, 1988 [JP] Japan ..... 63-8298

[52] U.S. Cl. .... D18/13; D14/111

[58] Field of Search ..... D14/50, 102, 111, 113; D18/13, 22, 23, 1-2; 400/687, 689, 694, 692, 684, 693, 248

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 224,605 8/1972 Bixler et al. .... D18/13
- D. 227,707 7/1973 Cargill ..... D14/111
- D. 229,634 12/1973 Bermender, Jr. .... D14/111
- D. 248,949 8/1978 Alger ..... D18/13

Primary Examiner—Louis S. Zarfes

Assistant Examiner—R. T. Seifert

Attorney, Agent, or Firm—Antonelli, Terry, Stout & Kraus

[57] CLAIM

The ornamental design for a plotter, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a plotter showing our new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a right side elevational view thereof;  
 FIG. 5 is a bottom plan view thereof;  
 FIG. 6 is a rear elevational view thereof;  
 FIG. 7 is a left side elevational view thereof; and  
 FIG. 8 is a front, top and right side perspective view of the plotter with the cover open.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

