

[54] HOUSING FOR AN ABSORBER OF ELECTRICAL NOISE

[75] Inventor: Akio Fujioka, Ichikawa, Japan

[73] Assignee: Kitagawa Industries Co., Ltd., Aichi, Japan

[**] Term: 14 Years

[21] Appl. No.: 384,478

[22] Filed: Jul. 25, 1989

[30] Foreign Application Priority Data

Feb. 17, 1989 [JP] Japan 1-6069

[52] U.S. Cl. D13/199; D13/156

[58] Field of Search D13/156, 157, 118, 133, D13/147; D8/356, 396; 174/72 A, 74 A, 74 R, 51.1, 92, 138 F; 336/65, 92

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 118,697 1/1940 Gallagher D8/396
- D. 284,465 7/1986 Epley D13/156
- 3,711,632 1/1973 Ghirardi 174/74 R X
- 3,757,031 9/1973 Israeli 174/92 X
- 3,838,213 9/1974 Georgopoulos et al. 174/52.1 X
- 4,882,561 11/1989 Fujioka 336/65

FOREIGN PATENT DOCUMENTS

- 1003314 2/1957 Fed. Rep. of Germany 174/92
- 0984179 2/1965 United Kingdom 174/92


Primary Examiner—Susan J. Lucas
Assistant Examiner—J. Sincavage
Attorney, Agent, or Firm—Oliff & Berridge

[57] CLAIM

The ornamental design for housing for an absorber of electrical noise, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a housing for an absorber of electrical noise showing my new design.
 FIG. 2 is a rear elevational view thereof.
 FIG. 3 is a right end elevational view thereof.
 FIG. 4 is a left end elevational view thereof.
 FIG. 5 is a top plan view thereof.
 FIG. 6 is a bottom plan view thereof.
 FIG. 7 is a top, front and left side perspective view thereof;
 FIG. 8 is a top, front and left side perspective view thereof shown in use with an electrical conductor. The broken line showing of the conductor is included for the purpose of illustrating environmental elements only and forms no part of the claimed design.











Fig. 7




Fig. 8

