

[54] SAFE

[75] Inventors: Toshitaka Ogasawara, Kamifukuoka; Kouichi Kasai, Tokorozawa, both of Japan

[73] Assignee: Olympic Co., Ltd., Iruma, Japan

[**] Term: 14 Years

[21] Appl. No.: 247,921

[22] Filed: Sep. 22, 1988

[30] Foreign Application Priority Data

Sep. 1, 1988 [JP] Japan 63-34803

[52] U.S. Cl. D99/28

[58] Field of Search D99/35, 28, 43, 99; D6/432, 573, 448, 574, 559; 70/283, 277, 278, 280, 281, 282, 283; 232/4 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 236,379 8/1975 Yanofsky D18/38

D. 237,285 10/1975 Helenurm D99/28

- D. 244,858 6/1977 Bolender D25/48
- D. 275,201 8/1984 Taylor et al. D18/36
- D. 288,639 3/1987 Johansson D6/448
- D. 291,019 7/1987 Druihet D99/28
- D. 299,653 1/1989 Kosako et al. D18/36
- D. 308,744 6/1990 Arauchi D99/28
- D. 313,617 1/1991 Kosako et al. D18/36

Primary Examiner—Nelson C. Holtje
Assistant Examiner—J. H. Musgrove
Attorney, Agent, or Firm—Beehler & Pavitt

[57] CLAIM

The ornamental design for a safe, as shown.

DESCRIPTION

FIG. 1 is a top right front perspective view of a safe showing our new design;
FIG. 2 is a front elevational view;
FIG. 3 is a rear elevational view;
FIG. 4 is a top plan view;
FIG. 5 is a bottom plan view;
FIG. 6 is a right side elevational view; and
FIG. 7 is a left side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

