

[54] TRAVEL ALARM CLOCK

[75] Inventor: Keiko Mayuzumi, Tokyo, Japan

[73] Assignee: Seikosha Co., Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 243,668

[22] Filed: Sep. 12, 1988

[30] Foreign Application Priority Data

Mar. 30, 1988 [JP] Japan 63-12847

[52] U.S. Cl. D10/18; D10/26

[58] Field of Search D10/1-39,
D10/122-132; 368/276-277, 280-282, 285,
316-317

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 144,720 5/1946 Klay D10/27
- D. 269,414 6/1983 Sugano D10/30 X
- D. 309,574 7/1990 Mayuzumi D10/26 X
- 1,820,926 9/1931 Vasticar 368/277 X
- 1,952,307 3/1934 Boucher 368/277

FOREIGN PATENT DOCUMENTS

61976 4/1982 Japan D10/18


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] CLAIM

The ornamental design for a travel alarm clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a travel alarm clock with the lid open showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevational view thereof, the left side being a mirror image;
 FIG. 6 is a front elevational view thereof with the lid closed;
 FIG. 7 is a rear elevational view thereof with the lid closed;
 FIG. 8 is a top plan view thereof with the lid closed;
 FIG. 9 is a bottom plan view thereof with the lid closed; and
 FIG. 10 is a right side elevational view thereof with the lid closed, the left side being a mirror image.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10