

[54] GAS DETECTOR

[75] Inventor: Rudy Krolopp, Elk Grove, Ill.

[73] Assignee: J and N Associates, Inc., Wheeler, Ind.

[**] Term: 14 Years

[21] Appl. No.: 347,789

[22] Filed: May 5, 1989

[52] U.S. Cl. D10/81

[58] Field of Search D10/46, 52, 75, 78,
D10/81, 102, 103; D24/1.1, 17; 73/23.21,
31.06, 40.5 R, 40.7, 431; 324/455; 340/599, 603,
628, 632, 633, 634

[56] References Cited

U.S. PATENT DOCUMENTS

D. 242,531 11/1976 Guimond D10/46
D. 242,602 12/1976 Melvin et al. D10/46
D. 298,110 10/1988 Kawano D10/46
D. 312,218 11/1990 Hill D10/81 X
3,311,455 3/1967 Robinson 340/633 X
3,460,125 8/1969 Liebermann et al. 340/632

3,786,675 1/1974 Delatorre et al. 340/632 X
4,369,647 1/1983 Shigemori et al. 340/634 X
4,665,385 5/1987 Henderson 422/84 X

Primary Examiner—Nelson C. Holtje

Assistant Examiner—Antoine D. Davis

Attorney, Agent, or Firm—Marshall, O'Toole, Gerstein,
Murray & Bicknell

[57] CLAIM

The ornamental design for a gas detector, as shown and
described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a
gas detector showing my new design, with the flexible
gas probe in an extended position;

FIG. 2 is a top, front and left side perspective view,
with the flexible gas probe in a mounted position;

FIG. 3 is a front elevational view of FIG. 2;

FIG. 4 is a right side elevational view of FIG. 2;

FIG. 5 is a left side elevational view of FIG. 2;

FIG. 6 is a rear elevational view of FIG. 2;

FIG. 7 is a top plan view of FIG. 2; and

FIG. 8 is a bottom plan view of FIG. 2 thereof.




FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

