

[54] TELEPHONE

[75] Inventors: Tetsuo Sugi; Fumiharu Ota; Satoshi Yonai, all of Kanagawa, Japan

[73] Assignee: Matsushita Electric Industrial Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 493,096

[22] Filed: Mar. 13, 1990

[30] Foreign Application Priority Data

Sep. 25, 1989 [JP] Japan 1-34878

[52] U.S. Cl. D14/151; D14/241

[58] Field of Search D14/241, 151; 379/436, 379/440, 432, 428

[56] References Cited

U.S. PATENT DOCUMENTS

D. 283,507 4/1986 Van Gillerive D14/151

D. 294,023 2/1988 Sekiguchi D14/151

D. 298,939 12/1988 Morikawa et al. D14/151

D. 299,460 1/1989 Aschauer D14/151

D. 300,926 5/1989 Morikawa et al. D14/241

D. 303,966 10/1989 Fritzsche D14/151

D. 310,076 8/1990 Kido et al. D14/241

D. 311,399 10/1990 Ando D14/241

D. 312,459 11/1990 Oshima et al. D14/151

OTHER PUBLICATIONS

B. A. Pargh; Fall/Winter 85/86 Catalog: at p. 330 COBRA TM; Built-In Wire Stands in Models St610 CBR; St660 CBR; ST500CBR and ST600CBR.

Primary Examiner—Horace B. Fay, Jr.

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a telephone, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a telephone showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof; and

FIG. 8 is a front, top and right side perspective view thereof with a stand pivoted to the bottom of the telephone base rotated into projected position for supporting the base in a upwardly and rearwardly oblique position.




Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

