

[54] COMBINATION GREETING CARD AND GIFT-HOLDING CONTAINER

[76] Inventor: Ernest L. Thornell, Rte. 2, Box 14, Hermann, Mo. 65041

[**] Term: 14 Years

[21] Appl. No.: 291,990

[22] Filed: Dec. 30, 1988

[52] U.S. Cl. D19/2; D9/415

[58] Field of Search D19/1, 2, 3, 4, 5, 6, D19/7, 8, 26, 27, 28, 29, 30, 31; 229/92.8, 149, 68 R, 147; 281/42, 19.1, 17; 40/124.1; D9/432, 415, 337, 346; 206/44 R, 472, 461, 470

[56] References Cited

U.S. PATENT DOCUMENTS

D. 233,654	11/1974	Lawlor et al.	D20/10 X
D. 294,558	3/1988	Adams et al.	D9/415
D. 296,988	8/1988	Yamada	D9/415
D. 303,931	10/1984	Miller et al.	D9/415
D. 304,459	11/1989	Lambert	D19/2
665,557	1/1901	Webb	229/149
877,347	1/1908	Lazar	229/149 X
1,011,697	12/1911	Witkowski	229/68 R
1,129,909	3/1915	Simoneaux	229/149 X
1,143,729	6/1915	Schmidt	229/92.8
1,337,507	4/1920	Lemos	229/149
1,340,553	5/1920	Nissen	229/68 R
1,433,439	10/1922	Weis	229/149
2,061,992	11/1936	Wilson	229/92.8
2,314,721	3/1943	Lowenstein	40/124.1 X
2,580,241	12/1951	Podmore	229/92.8
3,392,903	7/1968	Morgan, Jr.	40/124.1
4,006,822	2/1977	McCall	229/147 X
4,840,275	6/1989	Faiola et al.	229/92.8

FOREIGN PATENT DOCUMENTS

1195762	5/1959	France	206/462
---------	--------	--------------	---------

Primary Examiner—Wallace R. Burke

Assistant Examiner—P. Schmidt

Attorney, Agent, or Firm—Polster, Polster and Lucchesi

[57] CLAIM

The ornamental design for combination greeting card and gift-holding container, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a combination greeting card, wrapper, and gift-holding container showing my new design in a partially opened position;

FIG. 2 is a top perspective view of a second embodiment of a combination greeting card, wrapper, and gift-holding container in a partially opened position;

FIG. 3 is a rear perspective view of FIG. 2 in a fully closed position;

FIG. 4 is a top plan view of FIG. 1, the undisclosed bottom being substantially the same;

FIG. 5 is a front elevational view of FIG. 1 in a fully opened position;

FIG. 6 is a front elevational view of FIG. 2 in a fully opened position;

FIG. 7 is a side elevational view of FIG. 1, the undisclosed side being substantially the same;

FIG. 8 is a side elevational view of FIG. 2, the undisclosed side being substantially the same;

FIG. 9 is a left side elevational view of FIG. 2 in a fully closed position;

FIG. 10 is a left side elevational view of FIG. 1 in a fully closed position;

FIG. 11 is a left side elevational view of FIG. 1 in a fully opened position;

FIG. 12 is a rear elevational view of FIG. 2 in a fully closed position; and

FIG. 13 is a rear elevational view of FIG. 1 in a fully closed position.

The broken lines shown in FIGS. 1, 2, 3, 5, 9, 10, 12, and 13 are for illustrative purposes only and form no part of the claimed design.






FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11




FIG. 12



FIG. 13