

[54] GYNECOLOGICAL FORCEPS

[75] Inventor: Terry O'Neal-Cox, Somerest, N.J.

[73] Assignee: R. Martin Oliveras, Newark, N.J.; a part interest

[**] Term: 14 Years

[21] Appl. No.: 296,197

[22] Filed: Jan. 12, 1989

[52] U.S. Cl. D24/143

[58] Field of Search D24/27, 26; 604/97; 606/121, 122, 123, 124, 119, 205

[56] References Cited

U.S. PATENT DOCUMENTS

1,707,298	4/1929	Corleo .	
1,994,585	3/1935	Mann .	
2,034,299	3/1936	Jacobs .	
2,644,455	7/1953	Benoit	606/205
2,847,013	8/1958	Shute .	
3,384,088	5/1968	Miseo .	
3,528,409	9/1970	Bruder .	
3,550,595	12/1970	Laufe	606/122
3,565,061	2/1971	Reynolds .	
3,789,829	2/1974	Hasson .	
3,789,849	2/1974	Laufe et al. .	
4,034,746	7/1977	Williams .	

4,120,302 10/1978 Ziegler .
4,655,218 4/1987 Kulik et al. .
4,667,657 5/1987 Kulik et al. .

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—R. Martin Oliveras

[57] CLAIM

The ornamental design for a gynecological forceps, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a gynecological forceps, showing my new design, in open configuration;
FIG. 2 is a perspective view thereof in closed configuration;
FIG. 3 is a front elevational view thereof in open configuration;
FIG. 4 is a front elevational view thereof in closed configuration;
FIG. 5 is a side elevational view thereof in closed configuration, the opposite side being identical;
FIG. 6 is a rear elevational view thereof in closed configuration;
FIG. 7 is a bottom plan view thereof in closed configuration;
FIG. 8 is a top plan view thereof in closed configuration; and
FIG. 9 is a perspective view thereof, in closed configuration, with the insertional portion in tilted position.




FIG. 2




FIG. 1




FIG. 5




FIG. 4




FIG. 3




FIG. 6




FIG. 7




FIG. 8




FIG. 9

