

[54] DRUM PRACTICE PAD

[76] Inventor: Thomas O. Magruder, 133 Lawand Dr., Columbia, S.C. 29210

[**] Term: 14 Years

[21] Appl. No.: 389,560

[22] Filed: Aug. 4, 1989

[52] U.S. Cl. D17/22; 84/411 P

[58] Field of Search D17/22, 99; 84/411 P, 84/411 R, 723-733, DIG. 12; D21/64

[56] References Cited

U.S. PATENT DOCUMENTS

D. 285,453	9/1986	Hoshino	D17/22
D. 285,572	9/1986	Hoshino	D17/22
D. 296,793	7/1988	Johannes	D17/22
D. 298,949	12/1988	Fukuoka	D17/22
D. 298,950	12/1988	Fukuoka	D17/22
D. 298,951	12/1988	Benson et al.	D17/22
1,346,588	7/1920	Bower	.	
2,565,225	8/1951	Gladstone	84/411
2,893,283	7/1959	Ippolito	84/411
3,105,406	10/1963	Ippolito	84/411
3,453,924	7/1969	Glick et al.	84/411

4,179,974	12/1979	Trankle	84/411
4,581,972	4/1986	Hoshino	84/723
4,581,973	4/1986	Hoshino	84/723
4,648,302	3/1987	Bozzio	84/730

OTHER PUBLICATIONS

Music Trades, Oct. 1988 p. 91.

Primary Examiner—Bernard Ansher

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—Benoni O. Reynolds

[57] CLAIM

The ornamental design for a drum practice pad, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a drum practice pad showing my new design;
 FIG. 2 is a bottom plan view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a side elevational view thereof;
 FIG. 5 is a rear elevational view thereof.
 FIG. 6 is a top plan view thereof; and
 FIG. 7 is an enlarged fragmentary cross-sectional view taken along line 7—7 of FIG. 6.




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5.




FIG. 6




FIG. 7

