

[54] BRACKET OR THE LIKE

[75] Inventors: Mary J. Reid; William C. McKeone, both of Sheboygan, Wis.

[73] Assignee: Kohler Co., Kohler, Wis.

[**] Term: 14 Years

[21] Appl. No.: 674,712

[22] Filed: Mar. 20, 1991

Related U.S. Application Data

[62] Division of Ser. No. 263,128, Oct. 12, 1988, Pat. No. Des. 318,607.

[52] U.S. Cl. D8/363

[58] Field of Search 248/205.1, 227, 216.4; D8/349, 354, 394, 300, 301, 310, 321, 367, 363, 380

[56] References Cited

U.S. PATENT DOCUMENTS

D. 24,682	9/1895	Flanagen	D8/380 X
D. 216,458	1/1970	Nestrock	D8/363
D. 282,885	3/1986	Jarrett	D8/367
D. 289,369	4/1987	Foshee	D8/321
2,797,950	7/1957	Michael	D8/300

OTHER PUBLICATIONS

Sweets 1985, p. 11, bar bracket, item A, located upper left hand corner.

Sweets, 1975, p. 16, Laurence Brochure, bar rail brackets, item No. 900 and 904, located at bottom of page.

Five pages from a 1987 (admitted prior art) catalog from Tubular Specialties Manufacturing showing 3 styles of rail brackets.

P. 64 from a 1987 (admitted prior art) catalog from Tubular Specialties Manufacturing showing a ball top rail endpiece.

Primary Examiner—Wallace R. Burke

Assistant Examiner—H. Baynham

Attorney, Agent, or Firm—Quarles & Brady

[57] CLAIM

The ornamental design for a bracket or the like, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bracket or the like showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a front elevational view thereof; and

FIG. 7 is a rear elevational view thereof;

The fragmentary broken line representations of holes in FIGS. 3, 5, and 7 are for the purposes of illustration only.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7