United States Patent [19]

Kasai

[11] Patent Number: Des. 320,178

[45] Date of Patent: ** Sep. 24, 1991

[54]	BUCKLE	
[54]	BUCKLE	
[75]	Inventor:	Kazumi Kasai, Namerikawa, Japan
[73]	Assignee:	Yoshida Kogyo K.K., Tokyo, Japan
[**]	Term:	14 Years
[21]	Appl. No.:	420,515
[22]	Filed:	Oct. 12, 1989
•	Field of Search	
D11/218; 24/574, 633, 573, 631, 641, 616, 170,		
		305; 297/467
[56]		References Cited
U.S. PATENT DOCUMENTS		
D	. 289,622 5/1	1987 Crowle et al D11/216
D	. 303,223 9/1	1989 Jang D11/216
312,430 11/1990 Crowle		
•	4,800,629 1/1	1989 Ikeda 24/170
Primary Examiner-A. Hugo Word		
Assistant Examiner—R. T. Seifert		

Assistant Examiner—R. T. Seifert
Attorney, Agent, or Firm—Hill, Van Santen, Steadman &
Simpson

[57] CLAIM

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a buckle showing my new design;

FIG. 2 is a rear elevational view;

FIG. 3 is a top plan view; FIG. 4 is a bottom plan view; FIG. 5 is a side elevational view; FIG. 6 is a front elevational view of the male

FIG. 6 is a front elevational view of the male member of FIG. 1;

FIG. 7 is a rear elevational view of FIG. 6;

FIG. 8 is a top plan view of FIG. 6; FIG. 9 is a bottom plan view of FIG. 6;

FIG. 10 is a side elevational view of FIG. 6;

FIG. 11 is a front elevational view of the female member of the buckle of FIG. 1;

FIG. 12 is a rear elevational view of FIG. 11;

FIG. 13 is a top plan view of FIG. 11;

FIG. 14 is a bottom plan view of FIG. 11;

FIG. 15 is a side elevational view of FIG. 11;

FIG. 16 is a front elevational view of a buckle showing a second embodiment of my new design;

FIG. 17 is a rear elevational view of FIG. 16;

FIG. 18 is a top plan view of FIG. 16;

FIG. 19 is a bottom plan view of FIG. 16;

FIG. 20 is a side elevational view of FIG. 16;

FIG. 21 is a front elevational view of the male member of the buckle of FIG. 16;

FIG. 22 is a rear elevational view of FIG. 21;

FIG. 23 is a top plan view of FIG. 21;

FIG. 24 is a bottom plan view of FIG. 21;

FIG. 25 is a side elevational view of FIG. 21;


FIG. 26 is a front elevational view of the female member of the buckle of FIG. 16;

FIG. 27 is a rear elevational view of FIG. 26;

FIG. 28 is a top plan view of FIG. 26;

FIG. 29 is a bottom plan view of FIG. 26; and

FIG. 30 is a side elevational of FIG. 26.






FIG. 1

U.S. Patent




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11



F1G. 12




FIG. 13







FIG. 15



F1G. 14



F1G. 16



F1G. 17




FIG. 18






FIG. 19




F1G. 20



F1G. 21

Sep. 24, 1991



F1G. 22




FIG. 23





FIG. 25



F1G. 24



F1G. 26

U.S. Patent




FIG. 27




FIG. 28




FIG. 30

