

[54] BUCKLE

[75] Inventor: Kazumi Kasai, Namerikawa, Japan

[73] Assignee: Yoshida Kogyo K.K., Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 420,515

[22] Filed: Oct. 12, 1989

[52] U.S. Cl. .... D11/218; D11/200

[58] Field of Search ..... D11/200, 231, 215-216, D11/218; 24/574, 633, 573, 631, 641, 616, 170, 305; 297/467

[56] References Cited

U.S. PATENT DOCUMENTS

D. 289,622	5/1987	Crowle et al. ....	D11/216
D. 303,223	9/1989	Jang .....	D11/216
312,430	11/1990	Crowle .....	D11/200
4,800,629	1/1989	Ikeda .....	24/170

Primary Examiner—A. Hugo Word

Assistant Examiner—R. T. Seifert

Attorney, Agent, or Firm—Hill, Van Santen, Steadman & Simpson

[57] CLAIM

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a buckle showing my new design;

FIG. 2 is a rear elevational view;

FIG. 3 is a top plan view;

FIG. 4 is a bottom plan view;

FIG. 5 is a side elevational view;

FIG. 6 is a front elevational view of the male member of FIG. 1;

FIG. 7 is a rear elevational view of FIG. 6;

FIG. 8 is a top plan view of FIG. 6;

FIG. 9 is a bottom plan view of FIG. 6;

FIG. 10 is a side elevational view of FIG. 6;

FIG. 11 is a front elevational view of the female member of the buckle of FIG. 1;

FIG. 12 is a rear elevational view of FIG. 11;

FIG. 13 is a top plan view of FIG. 11;

FIG. 14 is a bottom plan view of FIG. 11;

FIG. 15 is a side elevational view of FIG. 11;

FIG. 16 is a front elevational view of a buckle showing a second embodiment of my new design;

FIG. 17 is a rear elevational view of FIG. 16;

FIG. 18 is a top plan view of FIG. 16;

FIG. 19 is a bottom plan view of FIG. 16;

FIG. 20 is a side elevational view of FIG. 16;

FIG. 21 is a front elevational view of the male member of the buckle of FIG. 16;

FIG. 22 is a rear elevational view of FIG. 21;

FIG. 23 is a top plan view of FIG. 21;

FIG. 24 is a bottom plan view of FIG. 21;

FIG. 25 is a side elevational view of FIG. 21;

FIG. 26 is a front elevational view of the female member of the buckle of FIG. 16;

FIG. 27 is a rear elevational view of FIG. 26;

FIG. 28 is a top plan view of FIG. 26;

FIG. 29 is a bottom plan view of FIG. 26; and

FIG. 30 is a side elevational of FIG. 26.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18




FIG. 20



FIG. 19




FIG. 21




FIG. 22




FIG. 23




FIG. 25



FIG. 24



FIG. 26




FIG. 27




FIG. 28



FIG. 30



FIG. 29

