

[54] TIRE OR SIMILAR ARTICLE

[75] Inventor: Franz Diensthuber, Schönau, Austria

[73] Assignee: Semperit Reifen Aktiengesellschaft, Traiskirchen, Austria

[*] Notice: The portion of the term of this patent subsequent to Jul. 23, 2005 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 230,441

[22] Filed: Aug. 8, 1988

[30] Foreign Application Priority Data

Feb. 24, 1988 [AT] Austria 6832

[52] U.S. Cl. D12/147

[58] Field of Search D12/141-143, D12/146-148; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 106,569 10/1937 Kine et al. D12/146
- D. 263,578 3/1982 Nyblom D12/148

OTHER PUBLICATIONS

1987 Tread Design Guide, p. 19, Cavalier SP7000S & SP9000H Tires, top right side of page & second row down, left side of page respectively.

1987 Tread Design Guide, p. 74, Summit Mega Trac Tire, second Tire in from top left side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Sandler, Greenblum, & Bernstein

[57] CLAIM


The ornamental design for tire or similar article, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire or similar article showing my new design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire;

FIG. 2 is a developed plan view of the tread surface thereof on a reduced scale shown split in two sections for convenience of illustration; and

FIG. 3 is a side elevation view thereof on a reduced scale, the opposite side being a mirror image of that shown.






Fig. 1




Fig. 2




Fig.3