

[54] ELECTROLYSIS PEN

[75] Inventor: Michael H. Jones, Cheltenham,
England
[73] Assignee: E. A. Ellison & Co. Ltd., Exhall,
England
[**] Term: 14 Years
[21] Appl. No.: 193,721
[22] Filed: May 13, 1988

[30] Foreign Application Priority Data
Nov. 14, 1987 [GB] United Kingdom 1046348
[52] U.S. Cl. D24/144
[58] Field of Search D24/26, 54, 8, 99;
D19/51; 606/45, 50, 42, 44, 48, 37, 39

[56] References Cited
U.S. PATENT DOCUMENTS
D. 212,919 12/1968 Conley D19/51 X
D. 246,053 10/1977 Staub et al. D24/26
D. 249,549 9/1978 Pike D24/26 X
4,593,691 6/1986 Lindstrom et al. 606/45
4,625,723 12/1986 Altnether et al. 606/42
4,688,569 8/1987 Rabinowitz 606/45 X
4,719,914 1/1988 Johnson .

FOREIGN PATENT DOCUMENTS

346687 6/1937 Italy 606/45

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris V. Coles
Attorney, Agent, or Firm—Young & Thompson

[57] CLAIM

The ornamental design for an electrolysis pen, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of an electrolysis pen, showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a left end elevational view thereof; and
FIG. 5 is a right end elevational view thereof.
In use the electrolysis pen is connected to an electrical supply by a cable attached to the lefthand end of the pen, and an electrolysis needle is fitted to the righthand end of the pen. The end of the needle is then applied to the root of a hair on the patient's body, and the needle is energized by depressing the push-button switch so as to apply a charge to the root of the hair. The hair is thereby killed and subsequently falls away from the body.






FIG 1




FIG 2



FIG 3



FIG 4



FIG 5