

[54] DOOR HANDLE
[75] Inventor: Joseph S. Clancy, Union Lake, Mich.
[73] Assignee: Sash Controls Inc., Ferndale, Mich.
[**] Term: 14 Years
[21] Appl. No.: 385,477
[22] Filed: Jul. 27, 1989
[52] U.S. Cl. D8/301; D8/319;
D8/320; D8/350
[58] Field of Search D8/300, 301, 315-320,
D8/306, 350; 16/110 R, 111 R, 114 R, 124, 125

[56] References Cited
U.S. PATENT DOCUMENTS
D. 246,421 11/1977 Ridgway et al. D8/306


OTHER PUBLICATIONS
Nat'l Lock Hardware; p. 12, Handle C6296-4L (upper right).

Nat'l Lock Hardware; p. 14, Handle C6450-4A/Back-plate C6451-4A.
J. C. DeJong & Co. Inc. Cat. 704; p. A-8; Handle 912/10 (upper left).
Belwith Int'l. Ltd. Cat. 278; ©1978; p. 5; Handle p. 238/Plate 273.
Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Krass & Young

[57] CLAIM
The ornamental design for the door handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a door handle embodying my new design;
FIG. 2 is a front view;
FIG. 3 is a right side view;
FIG. 4 is a left side view;
FIG. 5 is a rear view;
FIG. 6 is a top view; and
FIG. 7 is a bottom view.






FIG - 3




FIG - 2




FIG - 1

FIG - 6




FIG - 7





FIG - 5




FIG - 4