

[54] **STRINGED INSTRUMENT COVER**

[75] Inventor: **Peter Wyant**, 1635 W. 162nd St., Apt. 8, Gardena, Calif. 90247

[73] Assignee: **Peter M. Wyant**, Gardena, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **15,602**

[22] Filed: **Feb. 17, 1987**

[52] U.S. Cl. **D17/20; 84/453**

[58] Field of Search **D3/99; D17/20; 150/162; 84/320, 321, 322, 329, 453; 206/14, 314; 190/108**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 278,442	4/1985	Whomsley	D17/20
D. 285,700	9/1986	White	D17/20
3,251,258	5/1966	Parker	84/453
3,309,954	3/1967	Phillips et al.	84/453

3,877,501	4/1975	Toth	84/453
3,979,993	9/1976	Proctor	84/453
4,000,678	1/1977	Messina	84/453
4,177,847	12/1979	Spindler	150/162
4,601,391	7/1986	Gibbs et al.	206/14


Primary Examiner—A. Hugo Word
Assistant Examiner—CathyAnne MacCormac

[57] **CLAIM**

The ornamental design for a stringed instrument cover, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a stringed instrument cover showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a front elevational view thereof; FIG. 6 is a right side elevational view thereof; and FIG. 7 is a left side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3.




FIG. 5.




FIG. 4.




FIG. 1.




FIG. 6.