

[54] **ALARM UNIT HOUSING**

[76] **Inventor: Terence J. Ray, 45 Edna Ave.,  
Merrylands, N.S.W. 2160, Australia**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 324,344**

[22] **Filed: Mar. 16, 1989**

[30] **Foreign Application Priority Data**

Sep. 16, 1988 [AU] Australia ..... 3139/88

[52] **U.S. Cl. .... D10/106; D10/104**

[58] **Field of Search .... D10/104, 106, 109;  
340/365, 500, 506, 507, 508, 509, 510, 511, 512,  
513; 361/334, 331, 346, 380, 390**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 248,930 8/1978 Kahl, Jr. .... D10/106

D. 307,875 5/1990 Mallory ..... D10/106  
D. 308,176 5/1990 Soloway et al. .... D10/106

*Primary Examiner*—James M. Gandy  
*Assistant Examiner*—Marcus Jackson  
*Attorney, Agent, or Firm*—Burns, Doane, Swecker &  
Mathis

[57] **CLAIM**

The ornamental design for a alarm unit housing, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an alarm unit housing showing my new design;  
FIG. 2 is a left side elevational view thereof, with the right side being a mirror image;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top front perspective view thereof;  
FIG. 5 is a top plan view thereof; and  
FIG. 6 is a bottom plan view thereof.






FIG. 1




FIG. 2



FIG. 3

FIG. 4




FIG. 5



FIG. 6

