

[54] **RECUMBENT TRICYCLE**

[76] **Inventor:** Kelvin Tellinghuisen, 5100 E.  
Prospect, Sioux Falls, S. Dak. 57103

[\*\*] **Term:** 14 Years

[21] **Appl. No.:** 393,302

[22] **Filed:** Aug. 10, 1989

[52] **U.S. Cl. .... D12/112**

[58] **Field of Search ..... D12/112; 280/267, 282,  
280/288.1**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 290,451	6/1987	Engum .....	280/288.1
4,359,231	11/1982	Mulcahy .....	280/288.1
4,572,535	2/1986	Stewart et al. ....	280/282
4,789,173	12/1988	Lofgren et al. ....	280/282
4,826,190	5/1989	Hartmann .....	280/282
4,925,200	5/1990	Jones .....	280/288.1
4,993,733	2/1991	Eilers .....	280/282

**OTHER PUBLICATIONS**

American Bicyclist & Motorcyclist, Jun. 1987, pp. 29 & 38, H.P.E. Corp., Recumbent Vehicle & Tandem Recumbent Cycle.

American Bicyclist & Motorcyclist, Jun. 1987, p. 32, Wiener Three-Wheeled Recumbent Cycle.

*Primary Examiner*—James M. Gandy

*Assistant Examiner*—Melody Brown

[57] **CLAIM**

The ornamental design for a recumbent tricycle, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a recumbent tricycle showing my new design;


FIG. 2 is a right side elevation view thereof;


FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevation view thereof;


FIG. 5 is a rear elevation view thereof; and

FIG. 6 is a bottom plan view thereof.







*Fig\_1*




*Fig\_2*




*Fig\_3*



*Fig\_4*



*Fig\_5*



*Fig\_6*