

[54] MACHINE GUARD

[75] Inventors: David A. Smith, Halstead; Stephen G. Bernhard, Rugby, both of England

[73] Assignee: Atterton & Ellis Limited, Haverhill, England

[**] Term: 14 Years

[21] Appl. No.: 225,947

[22] Filed: Jul. 29, 1988

[30] Foreign Application Priority Data

Feb. 3, 1988 [GB] United Kingdom 1048207

[52] U.S. Cl. D15/126; D6/471; D15/138

[58] Field of Search D15/126, 138, 140, 141; D6/443, 397, 470, 471; 220/333; 51/268; 82/152; 408/241 G; 74/608; 29/DIG. 101

[56] References Cited

U.S. PATENT DOCUMENTS

D. 244,277 5/1977 Der-Avanestan D15/126
D. 248,954 8/1978 Der-Avanestan D15/126

D. 265,319 7/1982 Watanabe et al. D15/138 X
D. 301,585 6/1989 Linn D15/138
2,655,067 10/1953 Bechler 82/152
4,034,633 7/1977 Petersen 82/52

Primary Examiner—Bruce W. Dunkins

Assistant Examiner—Jeffrey Asch

Attorney, Agent, or Firm—Banner, Birch, McKie & Beckett

[57] CLAIM

The ornamental design for a machine guard, as shown and described.

DESCRIPTION


FIG. 1 is a front, top and right side perspective view of a machine guard showing our new design, the broken line showing being for illustrative purposes only;

FIG. 2 is a front, top, and right side perspective view in an open condition;

FIG. 3 is a rear, top, and right side perspective view;

FIG. 4 is a rear, top, and right side perspective view in an open condition; and

FIG. 5 is a rear, top, and left side perspective view thereof in an open condition.






Fig.1.




Fig.2.

Fig.3.





Fig.4.






Fig. 5.