

[54] BOTTLE FOR USE BY INFANTS, CHILDREN OR THE LIKE

[75] Inventor: Alexander R. Malcolm, Dudley, Mass.

[73] Assignee: Kinder-Grip International, Inc., Dudley, Mass.

[**] Term: 14 Years

[21] Appl. No.: 300,374

[22] Filed: Jan. 23, 1989

[52] U.S. Cl. D24/197; D9/401

[58] Field of Search D24/47, 48; 215/11.1-11.6, 200, 217, 235, 316; D9/372, 403, 401, 404, 367, 435

[56] References Cited

U.S. PATENT DOCUMENTS

D. 63,326	11/1923	Root .	
D. 167,914	10/1952	Taranton	D24/47
D. 189,373	11/1960	Lerner .	
D. 198,404	6/1964	Busch .	
D. 198,405	6/1964	Recknagel .	
D. 214,147	5/1969	Ritsi	D24/47
D. 230,325	2/1974	Sofro	D24/47
D. 283,920	5/1986	Chen .	
1,693,117	11/1928	McDonnell .	
2,831,596	4/1958	Eyles .	
2,959,314	11/1960	Sanchez .	
3,105,324	10/1963	Friedman	D24/47
3,746,198	7/1973	Howland	D24/47 X

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Ralph W. Selitto, Jr.

[57] CLAIM

The ornamental design for a bottle for use by infants, children or the like, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle for use by infants, children or the like, showing my new design, with a nipple-type closure;

FIG. 2 is a front elevational view thereof, the rear and side elevational views being identical thereto;
 FIG. 3 is an elevational view thereof, rotated 45° from the position illustrated in FIG. 2;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a cross-sectional top plan view thereof, taken along line I—I of FIG. 2;
 FIG. 7 is a fragmentary perspective view thereof;
 FIG. 8 is a cross-sectional perspective view thereof, taken along line I—I of FIG. 2;
 FIG. 9 is a perspective view thereof, with the nipple-type closure removed;
 FIG. 10 is a front elevational view of a second embodiment of the bottle for use by infants, children or the like, with a threaded-type closure, the rear and side elevational views being identical thereto;
 FIG. 11 is an elevational view thereof rotated 45° from the position illustrated in FIG. 10.
 FIG. 12 is a top plan view thereof;
 FIG. 13 is a bottom plan view thereof;
 FIG. 14 is a front elevational view thereof, with the thread-type closure removed;
 FIG. 15 is a front elevational view of a third embodiment of the bottle for use by infants, children or the like, with a thread-type closure, the rear and side elevational views being identical thereto;
 FIG. 16 is an elevational view thereof, rotated 45° from the position illustrated in FIG. 15;
 FIG. 17 is a top plan view thereof;
 FIG. 18 is a bottom plan view thereof;
 FIG. 19 is a front elevational view thereof with the thread-type closure removed;
 FIG. 20 is a front elevational view of a fourth embodiment of the bottle for use by infants, children or the like, with a crimp-type closure, the rear and side elevational views being identical thereto;
 FIG. 21 is an elevational view thereof, rotated 45° from the position illustrated in FIG. 20;
 FIG. 22 is a top plan view thereof;
 FIG. 23 is a bottom plan view thereof; and
 FIG. 24 is a front elevational view thereof, with the crimp-type closure removed.
 The embodiments illustrated in FIGS. 10-24 have the same cross-sectional shape as that illustrated in FIG. 6.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23





FIG. 24



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 320,859
DATED : October 15, 1991
INVENTOR(S) : Alexander R. Malcolm

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the description of FIG. 11, after "in FIG. 10"
delete "." and insert --;--.

In the description of FIG. 19, before "removed"
delete the second occurrence of "closure".

Before the Claim, insert:

--This is a continuation-in-part of U.S. design
patent application Serial No. 190,235 filed
May 4, 1988.--

Signed and Sealed this
Third Day of August, 1993

Attest:



MICHAEL K. KIRK

Attesting Officer

Acting Commissioner of Patents and Trademarks