

[54] **POLY-V PULLEY**

[75] **Inventor: Toshiaki Kanemitsu, Kobe, Japan**

[73] **Assignee: Kabushiki Kaisha Kanemitsu, Japan**

[*] **Notice:** The portion of the term of this patent subsequent to Jun. 25, 2005 has been disclaimed.

[**] **Term: 14 Years**

[21] **Appl. No.: 460,599**

[22] **Filed: Jan. 3, 1990**

[52] **U.S. Cl. D8/360**

[58] **Field of Search D8/360; 22/105; 29/159 R**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 266,982	11/1982	Kanemitsu	D8/360
D. 267,540	1/1983	Kanemitsu	D8/360
D. 267,541	1/1983	Kanemitsu	D8/360
D. 268,092	3/1983	Kanemitsu	D8/360
D. 275,176	8/1984	Kanemitsu	D8/360
D. 275,365	9/1984	Kanemitsu	D8/360

FOREIGN PATENT DOCUMENTS

545826	9/1980	Japan .
545826-1	9/1980	Japan .

545826-2 8/1982 Japan .
 587750-2 11/1982 Japan .

Primary Examiner—Wallace R. Burke
Assistant Examiner—H. Baynham
Attorney, Agent, or Firm—Eckert Seamans Cherin & Mellott

[57] **CLAIM**

The ornamental design for a poly-v pulley, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a poly-v pulley embodying my new design;
 FIG. 2 is a front elevation view thereof, the view from the opposite side being substantially the same;
 FIG. 3 is a side elevation view thereof, the view from the opposite side being substantially the same;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a section view along lines 5—5 in FIG. 1;
 FIG. 6 is a top plan view of a further embodiment thereof, including holes in the body;
 FIG. 7 is a front elevation of the embodiment of FIG. 6, the view from the opposite side being substantially the same;
 FIG. 8 is a side elevation view thereof, the view from the opposite side being substantially the same;
 FIG. 9 is a bottom plan view thereof;
 FIG. 10 is a section view along lines 10—10 in FIG. 6.




Fig.1




Fig.2





Fig.3






Fig. 5




Fig. 4

Fig.6




Fig.7




Fig.8



Fig.10




Fig.9

