

[54] TIRE TREAD AND BUTTRESS

FOREIGN PATENT DOCUMENTS

[75] Inventors: Paul B. Maxwell, Akron; Philip S. Hammond, Mogadore; Darrell E. Covert, Uniontown, all of Ohio

856106 7/1949 Fed. Rep. of Germany ... 152/209 R

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—T. P. Lewandowski; L. R. Drayer

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[57] CLAIM

[\*\*] Term: 14 Years

The ornamental design for a tire tread and buttress, as shown and described.

[21] Appl. No.: 395,918

DESCRIPTION

[22] Filed: Aug. 18, 1989

[52] U.S. Cl. .... D12/149

[58] Field of Search ..... D12/136, 146-151;  
152/209 R, 209 B, 209 A, 209 D

FIG. 1 is a perspective view of a tire tread and buttress showing our new design, it being understood that the pattern is repeated uniformly throughout the circumference of the tread and buttress;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a fragmentary side elevation view thereof;

FIG. 4 is a fragmentary elevation view of the opposite side thereof; and

FIG. 5 is a fragmentary front elevation view thereof.

The broken line showing of environmental structure in FIGS. 1, 3 and 4 of the drawing is for illustrative purposes only and forms no part of the claimed design.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 112,978 1/1939 James ..... D12/136
- 1,946,209 2/1934 Hardeman et al. .... 152/209 B




FIG. 1





FIG. 2






FIG. 3




FIG. 4




FIG. 5