

[54] TOUCH ENTRY TERMINAL

- [75] Inventors: Harry H. Moore, IV, Lincroft; Sean E. O'Leary; Stephen R. Palmer, both of Toms River, all of N.J.
- [73] Assignee: AT&T Bell Laboratories, Murray Hill, N.J.
- [**] Term: 14 Years
- [21] Appl. No.: 357,431
- [22] Filed: May 16, 1989
- [52] U.S. Cl. D14/100; D14/113
- [58] Field of Search D14/100, 101, 105, 106, D14/113, 115, 124-126, 149, 151; 340/700, 706, 707, 711, 712; 341/22, 23; 358/248, 249, 254; 364/706-710.14, 200, 900; 248/917-923; 339/17; 178/18, 19

[56] References Cited

U.S. PATENT DOCUMENTS

D. 263,710	4/1982	Asano	D14/106
D. 270,729	9/1983	Lahey et al.	D14/100
D. 271,691	12/1983	Bhat et al.	D14/149
D. 271,972	12/1983	Genaro et al.	D14/149
D. 272,441	1/1984	Carr	D14/151
D. 277,001	1/1985	McGarvey et al.	D14/115
D. 279,565	7/1985	Forbis et al.	D14/100
D. 289,291	4/1987	Kapper	D14/100
D. 303,111	8/1989	Paley	D14/100
D. 304,032	10/1989	Fine et al.	D14/113
4,364,619	12/1982	Inayat-Khan	339/17
4,624,434	11/1986	Lake, Jr. et al.	248/923 X
4,761,637	8/1988	Lucas et al.	340/712 X
4,812,830	3/1989	Doering	340/712
4,814,760	3/1989	Johnston et al.	340/707 X
4,893,115	1/1990	Blanchard	341/23 X

OTHER PUBLICATIONS

IBM Technical Disclosure Bulletin, vol. 27, No. 12, May 1985, Extension Device for a Personal Computer, #6887.

IBM Technical Disclosure Bulletin, vol. 20, No. 4, 9-1977, pp. 1528-1529, "Portable Conversation Device", C. A. Rogers et al.

Brochure of Linus Technologies, Inc., Reston, Va. "Linus Write Top", undated.

Pending Patent Application Ser. No. 805,366 filed 11/18/85, S. J. Paley Case 1, Group Art Unit 291, S. J. Lucas, Examiner.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Freda S. Nunn

Attorney, Agent, or Firm—Frederick B. Luludis

[57] CLAIM

The ornamental design for a touch entry terminal, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a touch entry terminal showing our new design;

FIGS. 2 and 3 are respectively right and left side elevational views thereof;

FIGS. 4 and 5 are respectively top and bottom plan views thereof;

FIGS. 6 and 7 are respectively rear and front elevational views thereof;

FIG. 8 is a left, rear perspective view of a second embodiment of our new design;

FIG. 9 is a top, front, right side perspective view thereof, and

FIGS. 10 and 11 are respectively right and left side elevational views thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

