

[54] CONTAINER FOR REPAIR DIVOTS

[76] Inventor: Howard E. Weber, P.O. Box 68,  
Morning Sun, Iowa 52640

[\*\*] Term: 14 Years

[21] Appl. No.: 297,541

[22] Filed: Jan. 17, 1989

[52] U.S. Cl. .... D21/234

[58] Field of Search ..... D21/234; D9/307;  
D7/515; 273/32 R

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 150,218 7/1948 Fournier ..... D21/234
- D. 268,008 2/1983 Witt, Jr. .... D9/307
- D. 301,003 5/1989 Burns ..... D7/515
- D. 312,292 11/1990 Retacco et al. .... D21/234

2,840,842 7/1958 Kaheny ..... D9/307  
3,302,344 2/1967 Wolfe et al. .... 273/32 R


Primary Examiner—Melvin B. Feifer  
Attorney, Agent, or Firm—Henderson & Sturm

[57] CLAIM

The ornamental design for a container for repair divots,  
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container for repair divots, showing my new design, the broken lines shown therein being to indicate environment only;  
FIG. 2 is a side elevational view, the other sides being the same as the side shown;  
FIG. 3 is a top view with the lid open;  
FIG. 4 is a bottom view;  
FIG. 5 is a perspective view with the lid closed; and  
FIG. 6 is a top view of FIG. 5.






Fig. 3




Fig. 1






Fig. 2






*Fig. 4*



*Fig. 5*



*Fig. 6*