[45] Date of Patent: \*\* Nov. 5, 1991

### [54] CEILING LIGHTING FIXTURE

[76] Inventors: Brigitte Bischof, Kohlstrasse 23, 4920 Lemgo 1; Horst-Dieter Schmelzer,

Forthofstrasse 23, 4815 Schloss Holte-Stukenbrock, both of Fed.

Rep. of Germany

[\*\*] Term: 14 Years

[22] Filed: Oct. 21, 1988

Appl. No.: 260,760

# [56] References Cited

## U.S. PATENT DOCUMENTS

D. 236,646	9/1975	Stewart D26/85
D. 293,723	1/1988	Büttner
D. 294,067	2/1988	Ambasz
		King et al
		Dorey 362/339
		Mrsny D26/85 X
4,425,603	1/1984	Courson 362/408 X

#### OTHER PUBLICATIONS

Abitare, 9-1979, p. 123, Fluorescent Lamp (9). Progress Commercial Lighting Catalog 200, ©1965, p. 18, Hanging Lamp #P4414.

Thorlux Lighting Brochure, 1986, p. 2, "Asmet" Floodlight.

Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm—Millen, White & Zelano

## [57] CLAIM

The ornamental design for a ceiling lighting fixture, as shown and described.

# DESCRIPTION

FIG. 1 is a top, end perspective view of a ceiling lighting fixture showing our new design, the fixture being fragmentarily shown to indicate indeterminate length; FIG. 2 is a top plan view thereof, the bottom being a mirror image;

- FIG. 3 is a side elevational view thereof, the opposite side being identical;
- FIG. 4 is a bottom, opposite end perspective view thereof;
- FIG. 5 is an end elevational view thereof;
- FIG. 6 is a top, end perspective view of a second embodiment of our new design;
- FIG. 7 is a top plan view thereof, the bottom being a mirror image;
- FIG. 8 is a side elevational view thereof, the opposite side being identical;
- FIG. 9 is a bottom, opposite end perspective view thereof;
- FIG. 10 is a top, end perspective view of a third embodiment of our new design, the fixture being fragmentarily shown to indicate indeterminate length;
- FIG. 11 is a top plan view thereof, the bottom being a mirror image;
- FIG. 12 is a side elevational view thereof, the opposite side being identical;
- FIG. 13 is a bottom, opposite end perspective view thereof:
- FIG. 14 is an end elevational view thereof;
- FIG. 15 is top, end perspective view of a fourth embodiment of our new design;
- FiG. 16 is a top plan view thereof, the bottom being a mirror image;
- FIG. 17 is a side elevational view thereof, the opposite side being identical;
- FIG. 18 is a bottom, opposite end perspective view thereof;
- FIG. 19 is a top, end perspective view of a fifth embodiment of our design, the fifth embodiment consisting of a pair of the fixtures of the fourth embodiment;
- FIG. 20 is a top, end perspective view of a sixth embodiment of our new design, the fixture being fragmentarily shown to indicate indeterminate length, the bottom, opposite end view being a mirror image;
- FIG. 21 is an end elevational view thereof;
- FIG. 22 is a top, end perspective view of a seventh embodiment of our new design, the bottom, opposite end view being a mirror image;
- FIG. 23 is a top, end perspective view of an eighth embodiment of our new design;
- FIG. 24 is a top plan view thereof;




FIG. 25 is a side elevational view thereof, the opposite side being identical;

FIG. 26 is a bottom, opposite end perspective view thereof;

FIG. 27 is a top, end perspective view of a ninth embodiment of our new design, the ninth embodiment being identical to the eighth embodiment, but in an inverted position;

FIG. 28 is a top, end perspective view of a tenth embodiment of our new design, the fixture being fragmentarily shown to indicate indeterminate length;

FIG. 29 is a bottom, opposite end perspective view thereof;

FIG. 30 is a top plan view thereof, the bottom being a mirror image;

FIG. 31 is an end elevational view thereof;

FIGS. 32 and 33 are respectively top and bottom perspective views taken from opposite ends of an eleventh embodiment of our new design, the eleventh embodi-

ment being identical to the tenth embodiment, but in an inverted position;

FIGS. 34 and 35 are respectively top and bottom perspective views taken from the opposite ends and sides of a twelfth embodiment of our new design;


FIGS. 36 and 37 are respectively top and bottom perspective views taken from the opposite ends and sides of a thirteenth embodiment of our new design;


FIG. 38 is a top, end perspective view of a fourteenth embodiment of our new design;


FIG. 39 is an inverted bottom, opposite end perspective view thereof;

FIGS. 40 and 41 are respectively top and bottom perspective views taken from the opposite ends and sides of a fifteenth embodiment of our new design; and


FIGS. 42 and 43 are respectively top and bottom perspective views taken from the opposite ends and sides of a sixteenth embodiment of our new design.









F16.2




F16.3




F16.5




F16.6




F16.9




F16.7




F16.8




F16.10







F16.11




F16.12




F16.14




F16.15




F16.18




F16.16





F16.17






F16.21







F16. 22




F16.23




F16.26




F16.24





F16.25




F16.27










F16.30




F16.31










F16.34





F16.35














F16.40



F16.41



F16.42



F16.43