

[54] COMBINED BALL-POINT PEN AND CORRECTION FLUID APPLICATOR

[76] Inventor: Larry L. Hager, 14027 35th Ave., South, Seattle, Wash. 98168

[**] Term: 14 Years

[21] Appl. No.: 328,607

[22] Filed: Mar. 27, 1989

[52] U.S. Cl. D19/36; D19/50; D19/51; D19/53; D19/66

[58] Field of Search D19/35, 36, 53, 65, D19/66, 41-51, 54-58, 81-85; 401/195, 17, 18, 21, 34, 129, 183, 213, 209

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 141,850 7/1945 Sanders D19/51 X
- D. 152,847 2/1949 Weiss D19/36 X
- D. 158,051 4/1950 Compas D19/66
- D. 160,757 10/1950 Weiss D19/36

- D. 187,496 3/1960 Hirata D19/51 X
- D. 188,971 10/1960 Nash et al. D19/66
- 2,354,402 7/1944 Petruccione et al. 401/195 X
- 3,228,378 1/1966 Rohrmuller 401/195
- 3,358,699 12/1967 Bau 401/195 X
- 3,738,760 6/1973 Madeira 401/195 X
- 3,879,141 4/1975 Shulman 401/183 X
- 3,969,028 7/1976 Negreiros D19/41 X


Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Leon Gilden

[57] CLAIM

The ornamental design for a combined ball-point pen and correction fluid applicator, as shown and described.

DESCRIPTION

FIG. 1 is a left front perspective view of a combined ball-point pen and correction fluid applicator showing my new design in an exploded condition; and FIG. 2 is a right rear perspective view thereof in an exploded condition.






Fig. 1




Fig. 2