

[54] FLASHLIGHT BRACKET FOR A BICYCLE

[76] Inventor: William E. Morse, P.O. Box 3496, Santa Cruz, Calif. 95063

[\*\*] Term: 14 Years

[21] Appl. No.: 432,665

[22] Filed: Nov. 6, 1989

[52] U.S. Cl. .... D26/138; D8/363; D8/396

[58] Field of Search ..... D26/28-36, D26/138, 140; D8/349, 354, 355, 356, 366, 373, 380, 381, 385, 386, 387, 363, 394, 395, 396; 362/396, 190, 191, 398, 397, 61, 72, 80, 80.1; 340/432; 403/285, 286

[56] References Cited

U.S. PATENT DOCUMENTS

D. 234,925	4/1975	Kallansrud	.....	D8/363
D. 237,941	12/1975	Dotter	.....	D8/363
672,388	4/1901	Newhall	.....	248/229 X
1,056,574	3/1913	Newton	.....	248/230
1,471,985	10/1923	Tower	.....	248/229
4,390,927	6/1983	Von Feldt	.....	362/72
4,477,865	10/1984	Tsuyama	.....	362/396

4,759,481 7/1988 Belka ..... 362/72 X

FOREIGN PATENT DOCUMENTS

2151764 7/1985 United Kingdom ..... 340/134

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Jeffrey A. Hall

[57] CLAIM

The ornamental design for a flashlight bracket for a bicycle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a flashlight bracket for a bicycle showing my new design, the flashlight and fragmentary bicycle being shown in broken lines for illustrative purposes only;

FIG. 2 is an enlarged front perspective view of the flashlight bracket for a bicycle, the flashlight being shown in broken lines for illustrative purposes only;

FIG. 3 is a front perspective view thereof;




FIG. 4 is a top plan view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a front elevational view thereof;

FIG. 7 is a left side view thereof; and

FIG. 8 is a bottom view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8