

# United States Patent [19]

Cain

[11] Patent Number: Des. 321,781

[45] Date of Patent: \* Nov. 26, 1991

[54] UMBRELLA HANDLE

[75] Inventor: Ann S. Cain, Cincinnati, Ohio

[73] Assignee: 'totes', incorporated, Loveland, Ohio

[\*] Notice: The portion of the term of this patent subsequent to Jan. 30, 2004 has been disclaimed.

[\*\*] Term: 14 Years

[21] Appl. No.: 578,132

[22] Filed: Sep. 5, 1990

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 485,732, Feb. 27, 1990, Pat. No. Des. 316,480.

[52] U.S. Cl. .... D3/12

[58] Field of Search ..... D3/5-17; D8/DIG. 6; D26/38; 362/102; 135/16, 17, 19.5, 20 R, 20 A, 20 M, 22-24, 25 R, 65, 66, 72, 76-81, DIG. 10, DIG. 11

[56] References Cited

U.S. PATENT DOCUMENTS

D. 11,078	3/1879	Ball	.....	D3/12
D. 19,958	7/1890	Schmidt	.....	D3/12
D. 19,960	7/1890	Schmidt	.....	D3/12
D. 96,052	6/1935	Osterman	.	
D. 138,524	8/1944	Seldis	.	
D. 262,497	1/1982	Chan	.....	D3/51 X
D. 273,815	5/1984	Allen	.....	D3/12
D. 280,677	9/1985	Allen	.....	D3/12
D. 287,306	12/1986	Cain	.....	D3/12

D. 287,543	1/1987	Cain	.....	D3/12
D. 290,547	6/1987	Cain	.....	D3/12
D. 291,260	8/1987	Cain	.....	D3/12
D. 292,042	9/1987	Selig	.....	D3/10
D. 292,642	11/1987	Selig	.....	D3/12
D. 296,264	6/1988	Selig	.....	D3/12
D. 308,595	6/1990	Cain	.....	D3/12
1,378,354	5/1921	Johnson	.....	D3/5 X
3,146,785	9/1964	Iwashita	.....	D3/5 X
4,456,025	1/1984	Fujihashi	.....	D3/11 X

Primary Examiner—Louis S. Zarfas

Attorney, Agent, or Firm—Wood, Herron & Evans

[57] CLAIM

The ornamental design for an umbrella handle, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an umbrella handle showing my new design, the rear being identical;

FIG. 2 is a side elevational view thereof, both sides being the same;

FIG. 3 is a bottom plan view of the embodiment shown in FIGS. 1 and 2;

FIG. 4 is a top plan view of the embodiment shown in FIGS. 1 and 2.


FIG. 5 is a front elevational view of an umbrella handle showing second embodiment of my new design;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a right side elevational view thereof, the left side being a mirror image;

FIG. 8 is a bottom plan view of the embodiment shown in FIG. 5; and

FIG. 9 is a top plan view of the embodiment shown in FIG. 5.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9