

[54] VIDEO CASSETTE REWINDER

[75] Inventor: Tsun H. Yeh, Hsinchu, Taiwan
[73] Assignee: Chwen Ho Chuang Co., Ltd.,
Hsinchu, Taiwan
[**] Term: 14 Years
[21] Appl. No.: 301,274
[22] Filed: Jan. 24, 1989

[30] Foreign Application Priority Data

Feb. 5, 1988 [TW] Taiwan 77300695
[52] U.S. Cl. D14/239
[58] Field of Search D14/124-125,
D14/135, 141, 160-166, 217, 239, 299; 242/179,
197, 199-201; D21/128, 136, 137

[56] References Cited

U.S. PATENT DOCUMENTS

D. 289,279 4/1987 Liu D14/217
D. 295,305 4/1988 Yoke D21/136
D. 301,352 5/1989 Doi D21/136
4,848,699 7/1989 Jing-Lin 242/201
4,919,357 4/1990 Lin 242/199

OTHER PUBLICATIONS


Comb Catalog; p. 3; bottom right-VHS video cassette
rewinder.
Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Ladas & Parry

[57] CLAIM

The ornamental design for a video cassette rewinder, as
shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of
a video cassette rewinder showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof, the left
side being a mirror image;
FIG. 7 is a top, front and right side perspective view
thereof, shown with the top partially cut away for clar-
ity of illustration;
FIG. 8 is a top, front and right side perspective view
thereof, shown in an open position;
FIG. 9 is a top, front and right side perspective view of
a second embodiment of the video cassette rewinder
illustrated in FIG. 1;
FIG. 10 is a front elevational view of the embodiment
disclosed in FIG. 9;
FIG. 11 is a rear elevational view of the embodiment
disclosed in FIG. 9;
FIG. 12 is a top plan view of the embodiment disclosed
in FIG. 9;
FIG. 13 is a bottom plan view of the embodiment dis-
closed in FIG. 9;
FIG. 14 is a right side elevational view of the embodi-
ment disclosed in FIG. 9, the left side being a mirror
image;
FIG. 15 is a top, front and right side perspective view of
the embodiment disclosed in FIG. 9, shown with the
top partially cut away for clarity of illustration; and
FIG. 16 is a top, front and right side perspective view of
the embodiment disclosed in FIG. 9, shown in an open
position.






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16