

# United States Patent [19]

Shima et al.

[11] Patent Number: Des. 322,136

[45] Date of Patent: \*\* Dec. 3, 1991

[54] REMOTE CONTROLLED SEARCHLIGHT FOR VEHICLE, BOAT, OR THE LIKE

4,065,806 12/1977 Satoh ..... 362/419

[75] Inventors: Susumu Shima; Hideto Hirose, both of Tokyo; Masaaki Ishii, Urayasu; Kohnosuke Iijima, Tokyo, all of Japan

[73] Assignee: Sanshin Dengu Manufacturing Co., Ltd., Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 387,643

[22] Filed: Jul. 31, 1989

[52] U.S. Cl. .... D26/28; D26/24; D26/93

[58] Field of Search ..... D26/24, 61-66, D26/93, 102-112, 28, 29, 35; 362/427, 287, 418, 419

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 269,464 6/1983 Caroli ..... D26/28  
3,644,728 2/1972 Hessemer et al. .... 362/386 X

**OTHER PUBLICATIONS**

Coast Navigation Outfitting Guide, 1987, p. 33, remote controlled searchlight.

*Primary Examiner*—Susan J. Lucas  
*Attorney, Agent, or Firm*—Kane, Dalsimer, Sullivan, Kurucz, Levy, Eisele and Richard

[57] **CLAIM**

The ornamental design for a remote controlled searchlight for vehicle, boat, or the like, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a remote controlled searchlight for vehicle, boat or the like showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevational view thereof, the left side being a mirror image.




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6

