

[54] **BRAKE ROD STROKE LENGTH INDICATOR**

[76] **Inventors:** **Gordon C. Hoyt**, P.O. Box 195, Little Hocking, Ohio 45742; **Bryan L. Hoyt**, 19003 Crestview Ct., Westfield, Ind. 46074

[**] **Term:** **14 Years**

[21] **Appl. No.:** **388,355**

[22] **Filed:** **Aug. 1, 1989**

[52] **U.S. Cl.** **D10/64**

[58] **Field of Search** **D10/46, 60, 61, 62, D10/63, 64, 65, 66, 67, 68, 70, 71; 33/609; 116/208; 188/1.11**

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,440,604 4/1969 Phillips 188/1.11 X
3,660,815 5/1972 Rees 188/1.11 X



Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Woodward, Emhardt, Naughton Moriarty & McNett

[57] **CLAIM**

The ornamental design for a brake rod stroke length indicator, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a brake rod stroke length indicator showing our new design; FIG. 2 is a right side elevational view; FIG. 3 is a left side elevational view; FIG. 4 is a rear elevational view; and FIG. 5 is a top plan view thereof, the bottom plan view being a mirror image.






Fig. 5




Fig. 3




Fig. 1




Fig. 2




Fig. 4