

[54] TIRE TREAD AND BUTTRESS

[75] Inventors: Paul B. Maxwell, Akron; Philip S. Hammond, Mogadore; Darrell E. Covert, Uniontown, all of Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 405,270

[22] Filed: Sep. 11, 1989

[52] U.S. Cl. .... D12/141; D12/145

[58] Field of Search ..... D12/141-143, D12/145-148; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 309,441 7/1990 Sakuno ..... D12/147
- D. 309,883 8/1990 Barnett ..... D12/143

OTHER PUBLICATIONS

1989 Tread Design Guide, p. 112, Duralon Wide Track

Radial Baja Hwy. Tire, third row down from top, left side of page.

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—T. P. Lewandowski; L. R. Drayer

[57] CLAIM

The ornamental design for a tire tread and buttress, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread and buttress showing our new design, it being understood that the pattern is repeated uniformly throughout the circumference of the tread and buttress as shown schematically by solid lines;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a fragmentary elevation view of one side thereof; and

FIG. 4 is a fragmentary elevation view of the opposite side thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

