

[54] **LIQUID APPLICATOR**

[75] **Inventor: John F. Tomlinson, Lititz, Pa.**
 [73] **Assignee: Armstrong World Industries, Inc., Lancaster, Pa.**
 [**] **Term: 14 Years**
 [21] **Appl. No.: 263,339**
 [22] **Filed: Oct. 27, 1988**
 [52] **U.S. Cl. D4/122; D4/114; D32/45**
 [58] **Field of Search D4/100, 102, 109, 114, D4/122, 127, 130, 199, 115; D32/35, 45; 15/27, 104.93, 104.94, 166, 179-180, 213, 230, 230.14; 401/118-119, 147, 196-197, 208, 218-220**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 311,278	10/1990	Swanson	D4/115
673,960	5/1901	Looker	15/179 X
1,261,818	4/1918	Johnsen	15/179 X
1,851,967	4/1932	Christman	401/147 X
1,927,191	11/1933	Warner	401/208
2,160,149	5/1939	Jellinek	15/27
2,251,431	8/1941	Tegethoff	401/147 X
2,965,911	12/1960	Hempel et al.	401/197
2,985,902	5/1961	Sopocy	15/166
3,537,800	11/1970	Moceri	401/193

Primary Examiner—Wallace R. Burke
Assistant Examiner—Lavone D. Tabor

[57] **CLAIM**

The ornamental design for a liquid applicator, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a liquid applicator showing my new design;
 FIG. 2 is a side elevational view thereof, the opposite side being a mirror image;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a top perspective view of a second embodiment of the design shown in FIG. 1;
 FIG. 8 is a reduced side elevational view thereof;
 FIG. 9 is a front elevational view thereof;
 FIG. 10 is a rear elevational view thereof;
 FIG. 11 is a top plan view thereof;
 FIG. 12 is a bottom plan view thereof;
 FIG. 13 is a top perspective view of a third embodiment of the design shown in FIG. 1;
 FIG. 14 is a reduced side elevational view thereof, the opposite side being a mirror image;
 FIG. 15 is a front elevational view thereof;
 FIG. 16 is a rear elevational view thereof;
 FIG. 17 is a top plan view thereof;
 FIG. 18 is a bottom plan view thereof;
 FIG. 19 is a top perspective view of a fourth embodiment of the design shown in FIG. 1 wherein the only differences reside in the configuration of the supporting arm and the shape of the opening on top of the supporting arm; and
 FIG. 20 is a front elevational view of a fifth embodiment of the design shown in FIG. 1 wherein the only difference resides in the appearance of the applicator wheel plate, the supporting arm being partially shown for ease of illustration only.
 The broken line showing of a bottle in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18





Fig. 19

Fig. 20

