

[54] CLOCK

[75] Inventor: Keiko Nomura, Tokyo, Japan

[73] Assignee: Seikosha Co., Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 335,200

[22] Filed: Apr. 7, 1989

[52] U.S. Cl. D10/6; D10/7; D10/8; D10/11

[58] Field of Search D10/1-40, D10/122-132; 368/276-277, 280-282, 285, 10; D21/249

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 143,076 12/1945 Kellerman D21/249 X
- D. 165,305 11/1951 Schisgall D10/8
- D. 169,659 5/1953 Gottlieb D10/7 X
- D. 235,594 7/1975 Cohn D21/249 X
- D. 289,147 4/1987 Van Boven D10/128

Primary Examiner—Nelson C. Holtje


Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] CLAIM

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a clock with the tent lowered showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a front right perspective view thereof;
 FIG. 8 is a front elevational view thereof with the tent raised;
 FIG. 9 is a rear elevational view thereof with the tent raised;
 FIG. 10 is a right side elevational view thereof with the tent raised;
 FIG. 11 is a left side elevational view thereof with the tent raised; and
 FIG. 12 is a right front perspective view thereof with the tent raised.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12