

[54] STREAMING CASSETTE TAPE DRIVE

[75] Inventors: Masafumi Ito, Tokyo; Shigeru Hasegawa, Kodaira; Minoru Sube, Hachioji; Katsuhiro Takashima, Yokohama; Keiji Tsunoda, Kokubunji, all of Japan

[73] Assignee: TEAC Corporation, Japan

[**] Term: 14 Years

[21] Appl. No.: 447,251

[22] Filed: Dec. 7, 1989

[30] Foreign Application Priority Data

Jun. 14, 1989 [JP] Japan 1-21984

[52] U.S. Cl. D14/108

[58] Field of Search D14/100, 102, 103, 105, D14/108, 109, 135, 161; D13/162, 184, 199; D6/509-512; 360/97.01-99.12, 137; 361/330-385, 390-395, 399, 415; 312/138.1, 208

[56] References Cited

U.S. PATENT DOCUMENTS

D. 265,091 6/1982 Hutcheson D14/107

D. 280,624	9/1985	Swan et al.	D14/109
D. 290,844	7/1987	Shibuya et al.	D14/109
D. 308,515	6/1990	Stead	D14/100
D. 314,562	2/1991	Ito et al.	D14/108

OTHER PUBLICATIONS

TEAC Catalogue, 1989, TEAC SB-3000, Data Cassette Streamer Subsystem.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Andrus, Scales, Starke & Sawall

[57] CLAIM

The ornamental design for a streaming cassette tape drive, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a streaming cassette tape drive showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top front right side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

