

[54] COMBINED RADIO FREQUENCY RECEIVER AND ALARM

[76] Inventors: Curtis A. Wilson, 3803 E. Texas St., Lot 12, Bossier City, La. 71111; Donald J. Dooley, Jr., 726 Cindy La., Haughton, La. 71037

[\*\*] Term: 14 Years

[21] Appl. No.: 338,770

[22] Filed: Apr. 17, 1989

[52] U.S. Cl. .... D14/168; D10/46

[58] Field of Search ..... D14/136, 156, 163, 165, D14/168-171, 175-176, 137, 188-198; 455/92, 100, 128, 344, 350-351, 228; 312/7.1; D10/46

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 237,543 11/1975 Yamamura et al. .... D14/196 X
- D. 240,857 8/1976 Murakami et al. .... D14/195
- D. 244,228 5/1977 Kawano et al. .... D14/195
- D. 248,472 7/1978 Kawano et al. .... D14/194
- D. 248,733 8/1978 Haynes ..... D14/137 X


Primary Examiner—Theodore M. Shooman  
Attorney, Agent, or Firm—Leon Gilden

[57] CLAIM

The ornamental design for a combined radio frequency receiver and alarm, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined radio frequency receiver and alarm showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6