

United States Patent [19]
Miyaguchi

[11] **Patent Number: Des. 322,479**
[45] **Date of Patent: ** Dec. 17, 1991**

[54] **HOLDER FOR LANCET**
[75] **Inventor: Katsuhiko Miyaguchi, Yamanashi, Japan**
[73] **Assignee: Terumo Kabushiki Kaisha, Tokyo, Japan**
[**] **Term: 14 Years**
[21] **Appl. No.: 444,091**
[22] **Filed: Nov. 30, 1989**

[30] **Foreign Application Priority Data**

Jun. 2, 1989 [JP] Japan 1-20056
[52] **U.S. Cl. D24/147; D24/146**
[58] **Field of Search D24/146, 147, 144; 606/181, 182; 604/69-71, 136, 191; 128/637; D8/82, 83, 107, 47**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 264,378 5/1982 Thomas et al. D24/147

D. 277,507 2/1985 Levy D24/147
D. 297,459 8/1988 Heiland et al. D24/147
4,527,561 7/1985 Burns 606/182
4,580,565 4/1986 Cornell et al. 606/182

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] **CLAIM**

The ornamental design for holder for lancet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a holder for lancet, showing my new design;
FIG. 2 is a top plan view thereof, the bottom plan view being identical thereof;
FIG. 3 is a front elevational view thereof, the rear elevational view being identical;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof; and
FIG. 6 is a cross-sectional view thereof, taken along line VI—VI of FIG. 5.




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6

