

[54] CARRIER FOR FIRE HOSE OR THE LIKE

3,009,214 11/1961 Thompson 294/137

[76] Inventor: Lawrence E. Kashuba, 1328 Justus Blvd., Clark Summit, Pa. 18411

Primary Examiner—A. hugo Word
Assistant Examiner—Celia A. Murphy
Attorney, Agent, or Firm—Eckert Seamans Cherin & Mellott

[**] Term: 14 Years

[21] Appl. No.: 450,364

[57] CLAIM

The ornamental design for a carrier for fire hose or the like, as shown and described.

[22] Filed: Dec. 12, 1989

[52] U.S. Cl. D8/14; D3/30.1; D3/100; D8/71

DESCRIPTION

[58] Field of Search D3/30.1, 35, 100, 99; D8/14, 16, 71; 224/253; 294/137

FIG. 1 is a perspective view of a carrier for fire hose or the like showing my new design;
FIG. 2 is a reduced front elevational view thereof;
FIG. 3 is a reduced left side elevational view thereof, the right side being a mirror image;
FIG. 4 is a reduced top plan view thereof;
FIG. 5 is a reduced rear elevational view thereof; and
FIG. 6 is a reduced bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 286,972	12/1986	Crews	D8/14
D. 288,276	2/1987	Harney	D8/14
D. 294,713	3/1988	Wadhams	D3/35
D. 302,234	7/1989	McNamee et al.	D8/71
2,124,945	7/1938	Gross	224/253
2,303,606	8/1965	Masterson, Jr.	294/137

The broken lines in rectangular configurations shown in FIGS. 1 and 2 are understood to represent conventional stitching.





FIG. 1.






FIG. 2.




FIG. 4.



FIG. 3.




FIG. 5.




FIG. 6.