



US00D323141S

United States Patent [19]

Sueyoshi et al.

[11] Patent Number: **Des. 323,141**

[45] Date of Patent: **** Jan. 14, 1992**

[54] HOUSING FOR AN ELECTRICAL CONNECTOR

3,146,051 8/1964 Woofter et al. 439/279 X
4,740,173 4/1988 Justiano et al. 439/744 X
4,961,713 10/1990 McCracken et al. 429/589 X

[75] Inventors: **Tadahiro Sueyoshi; Yukio Ohta; Yoshitsugu Sawada**, all of Shizuoka, Japan

FOREIGN PATENT DOCUMENTS

2802680 8/1978 Fed. Rep. of Germany 439/350

[73] Assignee: **Yazaki Corporation**, Tokyo, Japan

Primary Examiner—Susan J. Lucas
Assistant Examiner—J. Sincavage
Attorney, Agent, or Firm—Sughrue, Mion, Zinn Macpeak & Seas

[**] Term: **14 Years**

[21] Appl. No.: **379,443**

[57] CLAIM

[22] Filed: **Jul. 12, 1989**

The ornamental design for a housing for an electrical connector, as shown.

[30] Foreign Application Priority Data

Jan. 13, 1989 [JP] Japan 1-616

DESCRIPTION

[52] U.S. Cl. **D13/133**

[58] Field of Search D13/146, 147; 439/147, 439/246, 247, 282, 292, 293, 345, 350, 352, 353, 357, 358, 577, 586, 587, 595, 598, 600, 680, 686, 695, 701, 724

FIG. 1 is a top, front and right side perspective view of a housing for an electrical connector showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof; and

FIG. 8 is a rear, bottom and left side perspective view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 226,065 11/1972 Baumanis D13/147
D. 313,970 1/1991 Reeves D13/147
D. 314,942 2/1991 Sato et al. D13/147




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

