



US00D323344S

United States Patent [19]

[11] Patent Number: **Des. 323,344**

Umino et al.

[45] Date of Patent: **** Jan. 21, 1992**

[54] **PRINTER FOR ELECTRONIC COMPUTER**

[56]

References Cited

U.S. PATENT DOCUMENTS

[75] Inventors: **Toshio Umino; Hiroyuki Tokuda,**
both of Yokohama, Japan

- D. 289,167 4/1987 Otsuka D14/111
- D. 290,845 7/1987 Yubisui et al. D14/100
- D. 301,141 5/1989 Sugimoto D14/111
- D. 310,517 9/1990 Hara et al. D14/106
- D. 317,014 5/1991 Oyamada et al. D18/13

[73] Assignee: **Canon Kabushiki Kaisha,** Tokyo,
Japan

Primary Examiner—A. Hugo Word

Assistant Examiner—Cathy Anne MacCormac

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper &
Scinto

[**] Term: **14 Years**

[57]

CLAIM

[21] Appl. No.: **493,378**

The ornamental design for a printer for electronic computer, as shown and described.

[22] Filed: **Mar. 14, 1990**

DESCRIPTION

[30] **Foreign Application Priority Data**

Sep. 14, 1989 [JP] Japan 1-33782

[52] U.S. Cl. **D18/54**

[58] Field of Search D18/6, 13, 34, 36, 39;
D14/100, 106, 107, 108, 118, 141, 144;
D3/30.1, 33, 72-74, 76; 400/208, 613, 691-694,
613.1-613.4

FIG. 1 is a front elevational view of a printer for electronic computer showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof; and
 FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7

