



US00D323359S

United States Patent [19]

[11] Patent Number: **Des. 323,359**

Rose et al.

[45] Date of Patent: **** Jan. 21, 1992**

[54] **AERIAL TOY**

[76] Inventors: **Harold J. Rose; Bonnie Maginnis; Nicholas Maginnis**, all of 1401 St. James Ct., Apt. 4, Louisville, Ky. 40208

[**] Term: **14 Years**

[21] Appl. No.: **442,561**

[22] Filed: **Nov. 28, 1989**

[52] U.S. Cl. **D21/89; D21/86**

[58] Field of Search **D21/82, 86, 89, 88, D21/90; 446/46, 47, 48, 61, 62, 67, 68**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 169,864	6/1953	Myser	D21/90
D. 170,288	8/1953	Rylands	D21/89
D. 279,492	7/1985	Eddins et al.	D21/89
D. 294,154	2/1988	McDaniel	D21/89
3,022,966	2/1962	Briggs	D21/89
4,063,382	12/1977	McCallum	446/48
4,246,721	1/1981	Bowers	446/61

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Richard C. Litman

[57] **CLAIM**

The ornamental design for an aerial toy, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an aerial toy, showing our new design;

FIG. 2 is a bottom plan view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a right side elevational view thereof, the left side view being a mirror image thereof;
 FIG. 6 is a top plan view of a modified embodiment of the design shown in FIGS. 1 through 5;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a front elevational view thereof;
 FIG. 9 is a rear elevational view thereof;
 FIG. 10 is a right side view thereof, the left side view being a mirror image thereof;
 FIG. 11 is a top plan view of a second embodiment of the design shown in FIGS. 1 through 5;
 FIG. 12 is a bottom plan view thereof;
 FIG. 13 is a front elevational view thereof;
 FIG. 14 is a rear elevational view thereof;
 FIG. 15 is a right side elevational view thereof, the left side view being a mirror image thereof;
 FIG. 16 is a top plan view of a third modified embodiment of the design shown in FIGS. 1 through 5;
 FIG. 17 is a bottom plan view thereof;
 FIG. 18 is a front elevational view thereof;
 FIG. 19 is a rear elevational view thereof;
 FIG. 20 is a right side elevational view thereof, the left side view being a mirror image thereof;
 FIG. 21 is a top plan view of a fourth modified embodiment of the design shown in FIGS. 1 through 5;
 FIG. 22 is a bottom plan view thereof;
 FIG. 23 is a front elevational view thereof;
 FIG. 24 is a rear elevational view thereof; and
 FIG. 25 is a right side elevational view thereof, the left side view being a mirror image thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7





FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22



FIG. 23



FIG. 24




FIG. 25