



US00D323484S

United States Patent [19]

[11] Patent Number: **Des. 323,484**

Takayanagi

[45] Date of Patent: **** Jan. 28, 1992**

[54] CONNECTOR FOR PREVENTION OF REVERSE CURRENT

[75] Inventor: **Itsuo Takayanagi**, Shizuoka, Japan

[73] Assignee: **Yazaki Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **310,715**

[22] Filed: **Feb. 15, 1989**

[30] Foreign Application Priority Data

Aug. 25, 1988 [JP] Japan 63-033339

[52] U.S. Cl. **D13/147**

[58] Field of Search **D13/133; 439/91, 176, 439/320, 326, 518, 564, 629, 630, 631, 634, 637, 686, 733**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 236,349	8/1975	Ahmed	D13/147
D. 272,145	1/1984	Casciotti et al.	D13/147
D. 293,432	12/1987	Masuda	D13/147
3,960,436	6/1976	Minks et al.	439/660
4,106,300	8/1978	Reimer	439/377 X
4,655,522	4/1987	Beck, Jr. et al.	439/851 X

FOREIGN PATENT DOCUMENTS

2538208 6/1984 France 439/65

OTHER PUBLICATIONS

SB and WB Series Strip Sockets shown on p. 182 of *Allied Catalog* No. 856, 1986.

Primary Examiner—Susan J. Lucas
Assistant Examiner—J. Sincavage
Attorney, Agent, or Firm—Armstrong, Nikaido, Marmelstein, Kubovcik & Murray

[57] CLAIM

The ornamental design for a connector for prevention of reverse current, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a connector for prevention of reverse current showing my new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a left side elevational view thereof; and FIG. 7 is a cross-sectional view thereof taken along line 7—7 of FIG. 2.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

