



US00D323493S

United States Patent [19]
Ando

[11] **Patent Number: Des. 323,493**
[45] **Date of Patent: ** Jan. 28, 1992**

[54] **FACSIMILE TRANSCEIVER**

[75] **Inventor: Takaharu Ando, Ryugasaki, Japan.**

[73] **Assignee: Kabushiki Kaisha Toshiba, Kawasaki, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 528,790**

[22] **Filed: May 25, 1990**

[30] **Foreign Application Priority Data**

Dec. 5, 1989 [JP] Japan 1-43995

[52] **U.S. Cl. D14/118**

[58] **Field of Search D14/107, 109, 118, 124, D14/217, 299; D18/36-37; 358/400-401**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 300,532 4/1989 Yoshihama D14/118
- D. 301,878 6/1989 Noma D14/118
- D. 304,874 11/1989 Saegusa et al. D14/118
- D. 313,992 1/1991 Suge D14/118

FOREIGN PATENT DOCUMENTS

749853 11/1988 Japan .

OTHER PUBLICATIONS

Modern Office Technology, Feb. 1989, p. 63, Hitachi Model HIFAX 46.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a facsimile transceiver showing my new design, with a document feeder tray in an open position; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

